

<i>Notice of Allowability</i>	Application No.	Applicant(s)
	10/086,940	O'MARA, SEAN T.
	Examiner	Art Unit
	Annette F. Dixon	3771

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to amendment of 10/31/08 and interview of 1/15/09.
2.  The allowed claim(s) is/are 66-71, 80-88, 90, 92, 93, 95-111, 121-124, and 126-129.
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
 of the:
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application
6.  Interview Summary (PTO-413),  
Paper No./Mail Date 20090115.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other Applicant's Faxed Claim Amendments.

/Annette F Dixon/  
Examiner, Art Unit 3771

/Justine R Yu/  
Supervisory Patent Examiner, Art Unit 3771



EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Timothy Boller on January 15, 2009.

The application has been amended as follows:

IN THE CLAIMS:

Claim 66:

On line 4, "tactile accentuator at a distal" was changed to --tactile accentuator flap at a distal--.

On line 8, " via the tactile accentuator;" was changed to --via the tactile accentuator flap;--.

Claim 80:

On line 3, "set of vocal cords;" was changed to --set of vocal cords, the distal end of the intubation placement device having a tactile accentuator flap configured to detect cartilaginous rings of the trachea;--.

Claim 89: Cancelled.

Claim 90:

On line 8, "vocal cords;" was changed to --vocal cords, the means including detecting cartilaginous rings with a tactile accentuator flap coupled to the endotracheal placement device;--.

Claim 94: Cancelled.

Claim 96:

On line 4, "into a trachea;" was changed to --into a trachea and a tactile accentuator flap configured to detect cartilaginous rings of the trachea;--.

Claim 109:

On line 2, "vocal cords;" was changed to --vocal cords, the means including a tactile accentuator flap;--.

Claim 130: Cancelled.

Claim 131: Cancelled.

2. The following is an examiner's statement of reasons for allowance:

The prior art made of record does not disclose or teach the method of intubating a patient having the specific structure and relationship as claimed in claims 66 and 90

including the steps of detecting the cartilaginous rings of the trachea with a tactile accentuator flap secured an intubation placement device, where the intubation placement device and intubation tube are removably secured with a stopper.

The prior art made of record does not disclose or teach the apparatus for intubating a patient having the specific structure and relationship as claimed in claims 90, 96, and 109 including detecting the cartilaginous rings of the trachea with a tactile accentuator flap secured an intubation placement device, and removably securing the intubation placement device and intubation tube with a stopper.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Annette F. Dixon whose telephone number is (571) 272-3392. The examiner can normally be reached on Monday thru Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Justine Yu can be reached on (571) 272-4835. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Annette F Dixon  
Examiner  
Art Unit 3771

/Annette F Dixon/  
Examiner, Art Unit 3771

/Justine R Yu/  
Supervisory Patent Examiner, Art Unit 3771